

PUBLICATIONS OF TAMÁS BÍRÓ

(Updated: July 30, 2017)

- 1) Szállási Z., Bögi K., Gohari S., **Bíró T.**, Ács P., and Blumberg P. M. (1996): Non-equivalent Roles for the First and Second Zinc-Fingers of Protein Kinase C δ : Effect of Their Mutation on Phorbol Ester-Induced Translocation in NIH 3T3 Cells. *J. Biol. Chem.* **271**:18299-18301
- 2) Szállási Á., Jonassohn M., Ács G., **Bíró T.**, Ács P., Blumberg P. M., and Sterner O. (1996): The Stimulation of Capsaicin-Sensitive Neurons in a Vanilloid Receptor-Mediated Fashion by Pungent Terpenoids Possessing an Unsaturated 1,4-Dialdehyde Moiety. *Br. J. Pharmacol.* **119**:283-290
- 3) Ács G., **Bíró T.**, Ács P., Modarres, S., and Blumberg P. M. (1997): Differential Activation and Desensitization of Sensory Neurons by Resiniferatoxin. *J. Neurosci.* **17(14)**:5622-5628 (**#shared first authorship**)
- 4) **Bíró T.**, Ács G., Ács P., Modarres, S., and Blumberg P. M. (1997): Recent Advances in Understanding of Vanilloid Receptors: A Therapeutic Target for Treatment of Pain and Inflammation in Skin. *J. Invest. Derm. Symp. P.* **2**:56-60
- 5) Ács P., Bögi K., Lorenzo P. S., Marquez A. M., **Bíró T.**, Szállási Z., and Blumberg P. M. (1997): The Catalytic Domain of Protein Kinase C Chimeras Modulates the Affinity and Targeting of Phorbol Ester-Induced Translocation. *J. Biol. Chem.* **272(35)**:22148-22153
- 6) Ács P., Wang Q. J., Bögi K., Marquez A. M., Lorenzo P. S., **Bíró T.**, Szállási Z., Mushinski J. F., and Blumberg P. M. (1997): Both the Catalytic and Regulatory Domains of Protein Kinase C Chimeras Modulate the Proliferation Properties of NIH 3T3 Cells. *J. Biol. Chem.* **272(45)**:28793-28799
- 7) **Bíró T.**, Maurer M., Modarres S., Lewin N. E., Brodie C, Ács G., Ács P., Paus R., and Blumberg P. M. (1998): Characterization of Functional Vanilloid Receptors Expressed by Mast Cells. *Blood* **91(4)**:1332-1340
- 8) **Bíró T.**, Szabó I., Kovács L., Hunyadi J., and Csernoch L. (1998): Distinct Sub-populations in HaCaT Cells as Revealed by the Characteristics of Intracellular Calcium Release Induced by Phosphoinositide-coupled Agonists. *Arch. Dermatol. Res.* **290**:270-276
- 9) **Bíró T.**, Brodie C., Modarres S., Lewin N. E., Ács P., and Blumberg P. M. (1998): Specific Vanilloid Responses in C6 Rat Glioma Cells. *Mol. Brain Res.* **56(1-2)**:89-98
- 10) Szállási Á., **Bíró T.**, Modarres S., Garlaschelli L., Petersen M., Klusch A., Vidari G., Jonassohn M., De Rosa S., Sterner O., Blumberg P. M., and Krause J. E. (1998): Dialdehyde Sesquiterpenes and Other Terpenoids as Vanilloids. *Eur. J. Pharmacol.* **356(1)**:81-89
- 11) Szállási Á., **Bíró T.**, Szabó T., Modarres S., Petersen M., Klusch A., Blumberg P. M., Krause J. E., and Sterner O. (1999): A Non-Pungent Triprenyl Phenol of Fungal Origin, Scutigeral, Stimulates Rat Dorsal Root Ganglia via Interaction at Vanilloid Receptors. *Br. J. Pharmacol.* **126(6)**:1351-1358
- 12) Szállási Á., Szabó T., **Bíró T.**, Modarres S., Blumberg P. M., Krause J. E., Cortright D. N., and Appendino G. (1999): Resiniferatoxin-Type Phorboid Vanilloids Display Capsaicin-Like Selectivity at Native Vanilloid Receptors on Rat DRG Neurons and at the Cloned Vanilloid Receptor VR1. *Br. J. Pharmacol.* **128(2)**:428-434
- 13) Boczán J., Boros S., Mechler F., Kovács L., and **Bíró T.** (2000): Differential Expressions of Protein Kinase C Isozymes During Proliferation and Differentiation of Human Skeletal Muscle Cells in vitro. *Acta Neuropathol.* **99(2)**:96-104
- 14) Boczán J., **Bíró T.**, Czifra G., Lázár J., Papp H., Bárdos H., Ádány R., Mechler F., and Kovács L. (2001): Phorbol Ester Treatment Inhibits Proliferation and Differentiation of Cultured Human Skeletal Muscle Satellite Cells by Differentially Acting on Protein Kinase C Isoforms. *Acta Neuropathol.* **102**:55-62 (**#corresponding author**)
- 15) Szabó T., **Bíró T.**, Gonzales A., Palkovits M., and Blumberg P. M. (2002): Pharmacological Characterization of Vanilloid Receptor Located in the Brain. *Mol. Brain Res.* **98**:51-57
- 16) Gönczi M., Papp H., **Bíró T.**, Kovács L., and Csernoch L. (2002): Effect of Protein Kinase C on Transmembrane Calcium Fluxes in HaCaT keratinocytes. *Exp. Dermatol.* **11(1)**:25-33
- 17) Zákány R., Szűcs K., Bakó É., Felszeghy S., Czifra G., **Bíró T.**, Módis L., and Gergely P. (2002): Protein Phosphatase 2A is Involved in the Regulation of Protein Kinase A Signalling Pathway During In Vitro Chondrogenesis. *Exp. Cell. Res.* **275**:1-8

- 18) Papp H., Czifra G., Lázár J., Boczán J., Gönczi M., Csernoch L., Kovács L., and **Bíró T.** (2003): Protein Kinase C Isozymes Regulate Proliferation and High Cell Density-Mediated Differentiation of HaCaT Keratinocytes. *Exp. Dermatol.* **12**:811-824
- 19) Lázár J., Szabó T., Kovács L., Blumberg P.M., and **Bíró T.** (2003): Distinct Features of Recombinant Vanilloid Receptor-1 Expressed in Various Expression Systems. *Cell. Mol. Life Sci.* **60(10)**:2228-2240
- 20) Lázár J., Szabó T., Marincsák R., Kovács L., Blumberg P.M., and **Bíró T.** (2004): Sensitization of Recombinant Vanilloid Receptor-1 by Various Neurotrophic Factors. *Life Sci.* **75(2)**:153-163
- 21) Papp H., Czifra G., Bodó E., Lázár J., Kovács I., Aleksza M., Juhász I., Ács P., Sipka S., Kovács L., Blumberg P.M., and **Bíró T.** (2004): Opposite Roles of Protein Kinase C Isoforms in Proliferation, Differentiation, Apoptosis, and Tumorigenicity of Human HaCaT Keratinocytes. *Cell. Mol. Life Sci.* **61(9)**:1095-1105
- 22) Bodó E., Kovács I., Telek A., Varga A., Paus R, Kovács L., and **Bíró T.** (2004): Vanilloid Receptor-1 is Widely Expressed on Various Epithelial and Mesenchymal Cell Types of Human Skin. *J. Invest. Dermatol.* **123(2)**:410-413
- 23) Havlickova B., **Bíró T.**, Mescalchin A., Arenberger P., and Paus R. (2004): Towards Optimization of an Organotypic Assay System that Imitates Human Hair Follicle-Like Epithelial-Mesenchymal Interactions. *Br. J. Dermatol.* **151(4)**:753-765
- 24) **Bíró T.**, Griger Z., Kiss E., Papp H., Aleksza M., Kovács I., Zeher M., Bodolay E., Csépany T., Szűcs K., Gergely P., Kovács L., Szegedi G., and Sipka S. (2004): Abnormal Cell-Specific Expressions of Certain Protein Kinase C Isoenzymes in Peripheral Mononuclear Cells of Patients with Systemic Lupus Erythematosus. Effect of Corticosteroid Application. *Scand. J. Immunol.* **60(4)**:421-428
- 25) Varga A., Czifra G., Tállai B., Németh T., Kovács I., Kovács L., and **Bíró T.** (2004): Tumor Grade-Dependent Alterations in the Protein Kinase C Isoform Pattern in Urinary Bladder Carcinomas. *Eur. Urol.* **46(4)**:462-465
- 26) Rusznák Z., Pocsai K., Kovács I., Pór Á, Pál B., **Bíró T.**, and Szűcs G. (2004): Differential Distribution of TASK-1, TASK-2 and TASK-3 Immunoreactivities in the Rat and Human Cerebellum. *Cell. Mol. Life Sci.* **61(12)**:1532-1542
- 27) Varga E., Nagy N., Lázár J., Czifra G., Bak I., **Bíró T.**, and Tószaki Á. (2004): Inhibition of Ischemia/Reperfusion-Induced Damage by Dexamethasone in Isolated Working Rat Hearts. *Life Sci.* **75(20)**:2411-2423
- 28) Bodó E., **Bíró T.**, Telek A., Czifra G., Griger Z., Tóth I.B., Mescalchin A., Ito T., Bettermann A., Kovács L., and Paus R. (2005): A "Hot" New Twist to Hair Biology – Involvement of Vanilloid Receptor-1 (VR1/TRPV1) Signaling in Human Hair Growth Control. *Am. J. Pathol.* **166(4)**:985-998 (**#shared first authorship**)
- 29) Zákány R., Szigyártó Z., Matta C., Juhász T., Csontos C., Szűcs K., Czifra G., **Bíró T.**, Módis L., and Gergely P. (2005) Hydrogen Peroxide Inhibits Formation of Cartilage in Chicken Micromass Cultures and Decreases the Activity of Calcineurin: Implication of ERK1/2 and Sox9 Pathways. *Exp. Cell. Res.* **305**:190-199
- 30) Szentadrássy N., Bányász T., **Bíró T.**, Szabó G., Tóth I.B., Magyar J., Lázár J., Varró A., Kovács L., and Nánási P.P. (2005): Apico-Basal Inhomogeneity in Distribution of Ion Channels in Canine and Human Ventricular Myocardium. *Cardiovasc. Res.* **65**:851-860
- 31) Conrad F., Ohnemus U, Bodó E., **Bíró T.**, Tychsen B., Bosio A., Gerstmayer B., Bosio A., Schmidt-Rose T., Altgilbers S., Bettermann A., Saathoff M., Meyer W., and Paus R. (2005) Substantial Sex-Dependent Differences in the Response of Human Scalp Hair Follicles to Estrogen Stimulation In Vitro Advocate Gender-Tailored Management of Female versus Male Pattern Balding. *J. Invest. Derm. Symp. P.* **10**:243-246
- 32) **Bíró T.**, Ko M.C., Bromm B., Wei E.T., Bigliardi P., Siebenhaar F., Hashizume H., Misery L., Bergasa N., Kamei C., Schouenborg J., Roostermann D., Szabó T., Maurer M., Bigliardi-Qi M., Meingassner J.G., Hossen M.A., Schmelz M., and Steinhoff M. (2005) How Best to Fight That Nasty Itch – From New Insights into the Neuroimmunological, Neuroendocrine, and Neurophysiological Bases of Pruritus to Novel Therapeutic Approaches. *Exp. Dermatol.* **14**:225-240
- 33) Szabó G., Szentadrássy N., **Bíró T.**, Tóth I.B., Czifra G., Magyar J., Bányász T., Varró A., Kovács L., and Nánási P.P. (2005): Asymmetrical Distribution of Ion Channels in Canine and Human Left-Ventricular Wall: Epicardium versus Midmyocardium. *Pfugers Arch. Eur. J. Physiol.* **450**:307-316

- 34) Steinhoff M., Bienenstock J., Schmelz M., Maurer M., Wei E., and **Bíró T.** (2006): Neurophysiological, Neuroimmunological and Neuroendocrine Basis of Pruritus. *J. Invest. Dermatol.* **126**:1705-1718
- 35) Czifra G., Tóth I.B., Marincsák R., Juhász I., Kovács I., Ács P., Kovács L., Blumberg P.M., and **Bíró T.** (2006): Insulin-like Growth Factor-I-Coupled Mitogenic Signaling in Primary Cultured Human Skeletal Muscle Cells and in C2C12 Myoblasts. A Central Role of Protein Kinase C δ . *Cell. Signal.* **18**:1461-1472
- 36) **Bíró T.**, Bodó E., Telek A., Géczy T., Tychsen B., Kovács L., and Paus R. (2006): Hair Cycle Control by Vanilloid Receptor-1 (TRPV1): Evidence from TRPV1 Knockout Mice. *J. Invest. Dermatol.* **126**:1909-1912
- 37) Paus R., Schmelz M., **Bíró T.**, and Steinhoff M. (2006): Frontiers in Pruritus Research: Scratching the Brain for More Effective Itch Therapy. *J. Clin. Invest.* **116**(5):1174-1186
- 38) Deli T., Tóth I.B., Czifra G., Szappanos H., **Bíró T.**, and Csernoch L. (2006): Differences in purinergic and voltage-dependent signalling during PKC α overexpression- and culturing-induced differentiation of C2C12 myoblasts. *J. Muscle Res. Cell Motil* **27**(8):617-630
- 39) Fülöp L., Bányász T., Szabó G., Tóth I.B., **Bíró T.**, Lőrincz I., Balogh Á., Pető K., Mikó I., and Nánási P.P. (2006): Effect of Sex Hormones on ECG Parameters and Expression of Cardiac Ion Channels in Dogs. *Acta Physiol. (Oxf.)* **188**(3-4):163-171
- 40) Lengyel C., Virág L., **Bíró T.**, Iost N., Pacher P., Magyar J., Biliczki P., Kecskeméti V., Nánási P.P., Tóth M., Papp J.Gy., and Varró A. (2007): Diabetes Mellitus Attenuates the Repolarization Reserve in Mammalian Heart. *Cardiovasc. Res.* **73**:512-520
- 41) Gönczi M., Szentadrassy N., Fülöp L., Telek A., Szigeti G.P., Magyar J., **Bíró T.**, Nánási P.P., and Csernoch L. (2007): Hypotonic Stress Influence the Membrane Potential and Alter the Proliferation of Keratinocytes In Vitro. *Exp. Dermatol.* **16**:302-310
- 42) **Bíró T.**, Tóth I.B., Marincsák R., Dobrosi N., Géczy T., and Paus R. (2007): TRP Channels as Novel Players in the Pathogenesis and Therapy of Itch. *BBA Mol. Basis Dis.* **1772**:1004-1021
- 43) Griger Z., Páyer E., Kovács I., Tóth I.B., Kovács L., Sipka S., and **Bíró T.** (2007) Protein Kinase C β and δ Isoenzymes Promote Arachidonic Acid Production and Proliferation of MonoMac-6 Cells. *J. Mol. Med.* **85**:1031-1042
- 44) Kertész Z., Szikszai Z., Pelicon P., Simcic J., Telek A., and **Bíró T.** (2007) Ion Beam Microanalysis of Human Hair Follicles. *Nucl. Instr. Meth. B.* **260** (1): 218-221
- 45) Telek A., **Bíró T.**[#], Bodó E., Tóth I.B., Borbíró I., Kovács L., Kunos G., and Paus R. (2007): Inhibition of Human Hair Follicle Growth by Endo- and Exocannabinoids. *FASEB J.* **21**(13):3534-3541 (**#shared first authorship**)
- 46) Bodó E., Tobin D.J., Kamenisch Y., **Bíró T.**, Funk W., Berneburg M., and Paus R. (2007): Dissecting the Impact of Chemotherapy on the Human Hair Follicle: A Pragmatic In Vitro Assay For Studying the Pathogenesis and Potential Management of Hair Follicle Dystrophy. *Am. J. Pathol.* **171**(4):1153-1167
- 47) Peters E.M.J., Liotiri S., Bodó E., Hagen E., **Bíró T.**, Arck P.C., and Paus R. (2007): Probing the Effects of Stress Mediators on the Human Hair Follicle: Substance P Holds Central Position. *Am. J. Pathol.* **171**(6):1872-1886
- 48) Kiss B., **Bíró T.**[#], Czifra G., Tóth I.B., Kertész Z., Szikszai Z., Kiss Á.Z., Juhász I., Zouboulis C.C., and Hunyadi J. (2008): Investigation of Micronized Titanium-Dioxide Penetration in Human Skin Xenografts and its Effect on Cellular Functions of Human Skin-Derived Cells. *Exp. Dermatol.* **17**:659-667 (**#shared first authorship**)
- 49) Gönczi M., Telek A., Czifra G., Balogh A., Blumberg P.M., **Bíró T.**, and Csernoch L. (2008): Altered Calcium Handling Following the Recombinant Overexpression of Protein Kinase C Isoforms in HaCaT cells. *Exp. Dermatol.* **17**(7):584-591
- 50) Marincsák R., Tóth I.B., Czifra G., Szabó T., Kovács L., and **Bíró T.** (2008): The Analgesic Drug Tramadol Acts as an Agonist of the Transient Receptor Potential Vanilloid-1 (TRPV1). *Anesth. Analg.* **106**(6):1890-1896
- 51) Havlickova B., **Bíró T.**[#], Mescalchin A., Tschirschmann M., Mollenkopf H., Bettermann A., Pertile P., Lauster R., Bodó E., and Paus R. (2009): A Human Folliculoid Microsphere Assay for Exploring Epithelial-Mesenchymal Interaction in the Human Hair Follicle. *J. Invest. Dermatol.* **129**(4):972-983 (**#shared first authorship**)
- 52) Hegedűs Cs., Lakatos P., Oláh G., Tóth I.B., Gergely Sz., Szabó É., **Bíró T.**, Szabó Cs., Virág L. (2008): Protein Kinase C Protects from DNA Damage-Induced Necrotic Cell Death by Inhibiting Poly(ADP-ribose) Polymerase-1. *FEBS Lett.* **582**:1672-1678

- 53) Szegedi A., Páyer E., Czifra G., Tóth I.B., Schmidt E., Kovács L., Blumberg P.M., and **Bíró T.** (2009): Protein kinase C Isoenzymes Differentially Regulate the Differentiation-Dependent Expression of Adhesion Molecules in Human Epidermal Keratinocytes. *Exp. Dermatol.* **18(2)**:122-129
- 54) Tóth I.B., Géczy T., Griger Z., Dózsa A., Seltsmann H., Kovács L., Nagy L., Zouboulis C.C., Paus R., and **Bíró T.** (2009): Transient Receptor Potential Vanilloid-1 Signaling as a Regulator of Human Sebocyte Biology. *J. Invest. Dermatol.* **129(2)**:329-339
- 55) Dobrosi N., Tóth I.B., Nagy G., Dózsa A., Géczy T., Nagy L., Zouboulis C.C., Paus R., Kovács L., and **Bíró T.** (2008): Endocannabinoids Enhance Lipid Synthesis and Apoptosis in Human Sebocytes via Cannabinoid Receptor-2-Mediated Signaling. *FASEB J.* **22(10)**:3685-3695
- 56) Bodó E., Kromminga A., **Bíró T.**, Borbó I., Gáspár E., Zmijewski M.A., van Beek N., Langbein L., Slominski A., and Paus R. (2009): Human Female Hair Follicles are a Direct, Non-Classical Target for Thyroid-Stimulating Hormone (TSH). *J. Invest. Dermatol.* **129(5)**:1126-1139
- 57) Czifra G., Varga A., Nyeste K., Marincsák R., Tóth I.B., Kovács I., Kovács L., and **Bíró T.** (2009): Increased Expression of Cannabinoid Receptor-1 and Transient Receptor Potential Vanilloid-1 (TRPV1) in Human Prostate Carcinoma. *J. Cancer Res. Clin.* **135(4)**:207-214
- 58) Barna B., Leiter E., Hegedűs N., **Bíró T.**, Pócsi I. (2008) Effect of the Penicillium Chrysogenum Antifungal Protein (PAF) on Barley Powdery Mildew and Wheat Leaf Rust Pathogens. *J. Basic Microb.* **48(6)**:516-520
- 59) Steinhoff M. and **Bíró T.** (2009): A TR(I)P to Pruritus Research: Role of TRPV3 in Inflammation and Itch. *J. Invest. Dermatol.* **129(3)**:531-535
- 60) Gontier E., Ynsa M-D., **Bíró T.**, Hunyadi J., Kiss B., Gáspár K., Pinheiro T., Silva J-N., Filipe P., Stachura J., Dabros W., Reinert T., Butz T., Moretto Ph., and Surlève-Bazeille J-E. (2008): Is there Penetration of Titania Nanoparticles in Sunscreen through Skin? A Comparative Electron and Ion Microscopy Study. *Nanotoxicology* **2(4)**:218-231
- 61) Marincsák R., Tóth I.B., Czifra G., Márton I., Rédl P., Tar I., Tóth L., Kovács L., **Bíró T.** (2009): Increased Expression of TRPV1 in Squamous Cell Carcinoma of the Human Tongue. *Oral Dis.* **15**:328-335
- 62) Tóth I.B., Benkő S., Szöllősi A., Kovács L., Rajnavölgyi É., and **Bíró T.** (2009): Transient Receptor Potential Vanilloid-1 Signaling Inhibits Differentiation and Activation of Human Dendritic Cells. *FEBS Lett.* **583(10)**:1619-1624
- 63) **Bíró T.**, Tóth I.B., Haskó G., Paus R., and Pacher P. (2009): The Endocannabinoid System of the Skin in Health and Disease: Novel Perspectives and Therapeutic Opportunities. *Trends Pharmacol. Sci.* **30(8)**:411-420
- 64) **Bíró T.** and Kovács L. (2009): An "Ice-Cold" TR(i)P to Skin Biology: Role of TRPA1 in Human Epidermal Keratinocytes. *J. Invest. Dermatol.* **129(9)**:2096-2099
- 65) Bán Á., Marincsák R., **Bíró T.**, Perkecz A., Gömör É., Sándor K., Tóth I.B., Szolcsányi J., and Pintér E. (2010): Up-Regulation of Transient Receptor Potential Vanilloid Type-1 (TRPV1) Receptor Expression in Oral Lichen Planus. *Neuroimmunomodulation* **17**:103-108
- 66) Bodó E., Kany B., Gáspár E., Knüver J., Kromminga A., Ramot Y., **Bíró T.**, Tiede S., van Beek N., Poeggeler B., Meyer K., Wenzel B.E., and Paus R. (2010): Thyroid Stimulating Hormone (TSH), a Novel, Locally Produced Modulator of Human Epidermal Functions, is Regulated by Thyrotropin Releasing Hormone and Thyroid Hormones. *Endocrinology* **151(4)**:1633-1642
- 67) Poeggeler B., Knuever J., Gáspár E., **Bíró T.**, Klinger M., Bodó E., Wiesner R.J., Wenzel B.E., and Paus R. (2010): Thyrotropin Powers Human Mitochondria. *FASEB J.* **24(5)**:1525-1531
- 68) Langan E.A., Ramot Y., Hanning A., Poeggeler B., **Bíró T.**, Gaspar E., Funk W., Griffiths C.E.M., and Paus R. (2010): Thyrotropin-Releasing Hormone and Estrogen Differentially Regulate Prolactin and Prolactin Receptor Expression in Female Human Skin and Hair Follicles In Vitro. *Br. J. Dermatol.* **162(5)**:1127-1131
- 69) Ramot Y., **Bíró T.**, Tiede S., Tóth I.B., Langan E.A., Sugawara K., Foitzik K., Ingber A., Goddin V., Langbein L., and Paus R. (2010): Prolactin – A Novel Neuroendocrine Regulator of Human Keratin Expression In Situ. *FASEB J.* **24(6)**:1568-1679
- 70) Kloepper J.E., **Bíró T.**, Paus R., and Cseresnyés Z. (2010): Point Scanning Confocal Microscopy Facilitates 3D Human Hair Follicle Imaging in Tissue Sections. *Exp. Dermatol.* **19(4)**:691-694
- 71) Kemecei P., Miklós Z., **Bíró T.**, Marincsák R., Tóth I.B., Komlódi-Pásztor E., Barnucz E., Mirk E., Van der Vusse G.J., Ligeti L., and Ivanics T. (2010): Hearts of Surviving MLP-KO Mice Show Transient Changes of Intracellular Calcium Handling. *Mol. Cell. Biochem.* **342(1-2)**:251-260

- 72) Yang D., Kedei N., Li L., Tao J., Velasquez J.F., Michalowski A.M., Tóth I.B., Marincsák R., Varga A., **Bíró T.**, Yuspa S.H., Blumberg P.M. (2010): RasGRP3 Contributes to Formation and Maintenance of Prostate Cancer Phenotype. *Cancer Res.* **70(20)**:7905-7917
- 73) Tóth B.I., Dobrosi N., Dajnoki A., Czifra G., Oláh A., Szöllösi A.G., Juhász I., Sugawara K., Paus R., **Bíró T.** (2011): Endocannabinoids Modulate Human Epidermal Keratinocyte Proliferation and Survival via the Sequential Activation of Cannabinoid Receptor-1 and Transient Receptor Potential Vanilloid-1. *J. Invest. Dermatol.* **131(5)**:1095-1104
- 74) Galajda Z., Balla J., Szentmiklosi A.J., **Bíró T.**, Czifra G., Dobrosi N., Cseppento A., Patonay L., Roszer T., Balla G., Popescu L.M., Lekli I., Tosaki A. (2011): Histamine and H₁-Histamine Receptors Faster Venous Circulation. *J. Cell. Mol. Med.* **15(12)**:2614-2623
- 75) Tóth B.I., Oláh A., Szöllösi A.G., Czifra G., **Bíró T.** (2011): "Sebocytes' Makeup": Novel Mechanisms and Concepts in the Physiology of the Human Sebaceous Glands. *Pflüg. Arch. Eur. J. Phy.* **461(6)**:593-606
- 76) Borbíró I., Lisztes E., Tóth B.I., Czifra G., Oláh A., Szöllösi A.G., Szentandrassy N., Nánási P.P., Péter Z., Paus R., Kovács L., **Bíró T.** (2011): Activation of Transient Receptor Potential Vanilloid-3 Inhibits Human Hair Growth. *J. Invest. Dermatol.* **131(8)**:1605-1614
- 77) Ramot Y., Zhang G., **Bíró T.**, Lisztes E., Funk W., Ingber A., Langbein L., Paus R. (2011): TSH is a Novel Neuroendocrine Regulator of Selected Keratins in the Human Hair Follicle. *J. Dermatol. Sci.* **64(1)**:67-70
- 78) Gáspár E., Nguyen K.T.T., Hardenbicker C., Tiede S., Plate C., Bodó E., Knuever J., Funk W., **Bíró T.**, Paus R. (2011): Thyrotropin-Releasing Hormone Selectively Stimulates Human Hair Follicle Pigmentation. *J. Invest. Dermatol.* **131(12)**:2369-2377
- 79) Mamo S., Kobolak J., Borbíró I., **Bíró T.**, Bock I., Dinnyes A. (2010): Gene Targeting and Calcium Handling Efficiencies in Mouse Embryonic Stem Cell Lines. *World J. Stem Cells* **2(6)**:127-140
- 80) Gyimesi E., Nagy G., Remenyik E., Sipka S., Zeher M., **Bíró T.**, Szegedi A. (2011): Altered Peripheral Invariant Natural Killer T Cells in Atopic Dermatitis. *J. Clin. Immunol.* **31(5)**:864-872
- 81) Moran M.M., McAlexander M.A., **Bíró T.**, Szallasi A. (2011): Transient Receptor Potential Channels as Therapeutic Targets. *Nature Rev. Drug Discov.* **10(8)**:601-620
- 82) Ramot Y., Tiede S., **Bíró T.**, Abu Bakar M.H., Sugawara K., Philpott M., Harrison W., Pietilä M., Paus R. (2011): Spermidine Promotes Human Hair Growth and is a Novel Modulator of Human Epithelial Stem Cell Functions. *PLoS ONE* **6(7)**:e2256
- 83) Griger Z., Tóth I.B., Baráth S., Gyetvai A., Kovács I., Tarr T., **Bíró T.**, Zeher M., Sipka S. (2012): Different Effects of Bortezomib on the Expressions of Various PKC Isoenzymes in T Cells of Patients with Systemic Lupus Erythematosus and in Jurkat Cells. *Scand. J. Immunol.* **75(2)**:243-248
- 84) Sugawara K., **Bíró T.**, Tsuruta D., Tóth I.B., Kromminga A., Zákány N., Zimmer A., Funk W., Gibbs B.F., Zimmer A., Paus R. (2012): Endocannabinoids Limit Excessive Mast Cell Maturation and Activation in Human Skin. *J. Allergy Clin. Immun.* **129(3)**:726-738.e8
- 85) Knuever J., Poeggeler B., Gáspár E., Klinger M., Hellwig-Burgel T., Hardenbicker C., Tóth I.B., **Bíró T.**, Paus R. (2012): Thyrotropin-Releasing Hormone Controls Mitochondrial Biology in Human Epidermis. *J. Clin. Endocr. Metab.* **97(3)**:978-986
- 86) Géczy T., Oláh A., Tóth I.B., Czifra G., Szöllösi A.G., Szabó T., Zouboulis C.C., Paus R., **Bíró T.** (2012): Protein Kinase C Isoforms Play Differential Roles in the Regulation of Human Sebocyte Biology. *J. Invest. Dermatol.* **132(8)**:1988-1997
- 87) Miklós Z., Kemecei P., **Bíró T.**, Marincsák R., Tóth B.I., Op den Buijs J., Benis E., Drozgyik A., Ivanics T. (2012): Early Cardiac Dysfunction is Rescued by Upregulation of SERCA2a Pump Activity in a Rat Model of Metabolic Syndrome. *Acta Physiol. (Oxf.)* **205(3)**:381-393
- 88) Holub B.S., Kloepper J.E., Tóth B.I., **Bíró T.**, Kofler B., Paus R. (2012): The Neuropeptide Galanin is a Novel Inhibitor of Human Hair Growth. *Br. J. Dermatol.* **167(1)**:10-16
- 89) Czifra G., Szöllösi A.G., Tóth I.B., Demaude J., Bouez C., Breton L., **Bíró T.** (2012): Endocannabinoids Regulate Growth and Survival of Human Eccrine Sweat Gland-Derived Epithelial Cells. *J. Invest. Dermatol.* **132(8)**:1967-1976
- 90) Samuelov L., Sprecher E., Tsuruta D., **Bíró T.**, Kloepper J., Paus R. (2012): P-Cadherin Regulates Human Hair Growth and Cycling via Canonical Wnt signaling. *J. Invest. Dermatol.* **132(10)**:2332-2341
- 91) Langan E.A., Lisztes E., **Bíró T.**, Funk W., Griffiths C.E.M., Paus R. (2013): Dopamine is a Novel, Direct Inducer of Catagen in Human Scalp Hair Follicles. *Br. J. Dermatol.* **168(3)**:520-525
- 92) Oláh A., Szöllösi A.G., **Bíró T.** (2012): The Channel Physiology of the Skin. *Rev. Physiol. Biochem. Pharmacol.* **163**:65-131

- 93) Tóth I.B. and **Bíró T.** (2013): TRP Channels and Pruritus. *The Open Pain Journal* **6**: (SPEC.ISSUE.1):62-80
- 94) Samuelov L., Sprecher E., Sugawara K., Singh S.K., Tobin D.J., Tsuruta D., **Bíró T.**, Kloepper J.E., Paus R. (2013): Topobiology of Human Pigmentation: P-Cadherin Selectively Stimulates Hair Follicle Melanogenesis. *J. Invest. Dermatol.* **133**(6):1591-1600
- 95) Bakó J., Vecsernyés M., Ujhelyi Z., Bácskay Kovácsné I., Borbíró I., **Bíró T.**, Borbély J., Hegedűs Cs. (2012): Composition and Characterization of In Situ Usable Light Cured Dental Drug Delivery Hydrogel System. *J. Mater. Sci. Mater. Med.* **24**(3):659-666
- 96) Sugawara K., Zákány N., Hundt T., Emelianov V., Tsuruta D., Schäfer C., Kloepper J.E., **Bíró T.**, Paus R. (2013): Cannabinoid Receptor-1 Controls Human Mucosal-Type Mast Cell Degranulation and Maturation In Situ. *J. Allergy Clin. Immun.* **132**(1):182-193.e8.
- 97) Ramot Y., Zhang G., **Bíró T.**, Langbein L., Paus R. (2013): Is Thyrotropin-Releasing Hormone a Novel Neuroendocrine Modulator of Keratin Expression in Human Skin? *Br. J. Dermatol.* **169**(1):146-151
- 98) Ramot Y., Sugawara K., Zákány N., Tóth I.B., **Bíró T.**, Paus R. (2013): A Novel Control of Human Keratin Expression: Cannabinoid Receptor 1-Mediated Signaling Down-Regulates the Expression of Keratins K6 and K16 in Human Keratinocytes In Vitro and In Situ. *PeerJ.* **1**:e40
- 99) Langan E.A., Vidali S., Funk W., Lisztes E., **Bíró T.**, Goffin V., Griffiths C.E.M., and Paus R. (2013): Tumour Necrosis Factor- α , Interferon- γ and Substance P Are Novel Modulators of Extrapituitary Prolactin Expression in Human Skin. *PLoS ONE* **8**(4):e60819
- 100) Szöllösi A.G., Oláh A., Tóth I.B., Papp F., Czifra G., Panyi G., **Bíró T.** (2013): Transient Receptor Potential Vanilloid-2 Mediates the Effects of Transient Heat Shock on Endocytosis of Human Monocyte-Derived Dendritic Cells. *FEBS Lett.* **587**(9):1440-1445
- 101) Nilius B., **Bíró T.** (2013): TRPV3: A 'More than Skinny' Channel. *Exp. Dermatol.* **22**(7):447-52
- 102) Nilius B., **Bíró T.**, Owsianik G. (2014): TRPV3: Time to Decipher a Poorly Understood Family Member! *J. Physiol.* **592**(Pt 2):295-304
- 103) Vidali S., Knuever J., Lerchner J., Giesen M., **Bíró T.**, Klinger M., Kofler B., Funk W., Poeggeler B., Paus R. (2014): Hypothalamic-Pituitary-Thyroid Axis Hormones Stimulate Mitochondrial Function and Biogenesis in Human Hair Follicles. *J. Invest. Dermatol.* **134**(1):33-42
- 104) Ito T., Bertolini M., Funakoshi A., Ito N., Takayama T., **Bíró T.**, Paus R., Tokura Y. (2013): Birth, Life, and Death of the MAGE3 Hypothesis of Alopecia Areata Pathobiology. *J Dermatol Sci.* **72**(3):327-30
- 105) Al-Nuaimi Y., Hardman J.A., **Bíró T.**, Haslam I.S., Philpott M., Tóth B.I., Farjo N., Farjo B., Baier G., Watson R.E., Grimaldi B., Kloepper J.E., Paus R. (2014): A Meeting of Two Chronobiological Systems: Circadian Proteins Period1 and BMAL1 Modulate the Human Hair Cycle Clock. *J. Invest. Dermatol.* **134**(3):610-619
- 106) Dozsa A., Dezso B., Toth B.I., Bacsí A., Poliska S., Camera E., Picardo M., Zouboulis C.C., **Bíró T.**, Schmitz G., Liebisch G., Rühl R., Remenyik E., Nagy L. (2014): PPAR γ -Mediated and Arachidonic Acid-Dependent Signaling is Involved in Differentiation and Lipid Production of Human Sebocytes. *J. Invest. Dermatol.* **134**(4):910-920
- 107) Ernst N., Yay A., **Bíró T.**, Tiede S., Humphries M., Kloepper J. (2013): β 1 Integrin Signaling Maintains Human Epithelial Progenitor Cell Survival In Situ and Controls Proliferation, Apoptosis and Migration of Their Progeny. *PLoS ONE* **8**(12):e84356
- 108) Ramot Y., Mastrofrancesco A., Herczeg-Lisztes E., **Bíró T.**, Picardo M., Kloepper J., Paus R. (2014): Advanced Inhibition of Undesired Human Hair Growth by PPAR γ Modulation? *J. Invest. Dermatol.* **134**(4):1128-1131
- 109) Mócsai G., Gáspár K., Nagy G., Irinyi B., Kapitány A., **Bíró T.**, Gyimesi E., Tóth B., Maródi L., Szegedi A. (2014): Severe Skin Inflammation and Filaggrin Mutation Similarly Alter Skin Barrier in Atopic Dermatitis Patients. *Br. J. Dermatol.* **170**(3):617-624
- 110) Tóth B.I., Oláh A., Szöllösi A.G., **Bíró T.** (2014): TRP Channels in the Skin. *Br. J. Pharmacol.* **171**(10):2568-2581
- 111) Nagy G., Doan-Xuan Q.M., Gáspár K., Mócsai G., Kapitány A., Töröcsik D., Bacsó Z., Gyimesi E., Remenyik E., **Bíró T.**, Szegedi A. (2014): The Atopic Skin-Like Microenvironment Modulates the T-cell-Polarising Cytokine Production of Myeloid Dendritic Cells, as Determined by Laser Scanning Cytometry. *Exp. Dermatol.* **23**(4):276-278

- 112) Nagy Z., Kovács I., Török M., Tóth D., Vereb G., Buzás K., Juhász I., Blumberg P.M., **Bíró T.**, Czifra G. (2014): Function of RasGRP3 in the Formation and Progression of Human Breast Cancer. *Mol. Cancer*. **13(1)**:96-113
- 113) Iannotti F.A., Silvestri C., Mazzarella E., Martella A., Calvigioni D., Piscitelli F., Ambrosino P., Petrosino S., Czifra G., **Bíró T.**, Harkany T., Tagliatela M., Di Marzo V. (2014): The Endocannabinoid 2-AG Controls Skeletal Muscle Cell Differentiation via CB1 Receptor-Dependent Inhibition of Kv7 Channels. *Proc. Natl. Acad. Sci. PNAS* **111(24)**:E2472-2481
- 114) Kloepper J.E., Ernst N., Krieger K., Bodó E., **Bíró T.**, Haslam I.S., Schmidt-Ullrich R., Paus R. (2014): NF- κ B Activity Is Required for Anagen Maintenance in Human Hair Follicles In Vitro. *J. Invest. Dermatol.* **134(7)**:2036-2038
- 115) Fischer T.W., Herczeg-Lisztes E., Funk W., Zillikens D., **Bíró T.**, Paus R. (2014): Differential Effects of Caffeine on Hair Shaft Elongation, Matrix and Outer Root Sheath Keratinocyte Proliferation, and TGF- β 2-/IGF-1-Mediated Regulation of Hair Cycle in Male and Female Human Hair Follicles In Vitro. *Br. J. Dermatol.* **171(5)**:1031-43
- 116) Oláh A., Tóth I.B., Borbó I., Sugawara K., Szöllősi A.D., Czifra G., Pál B., Ambrus L., Kloepper J., Camera E., Ludovici M., Picardo M., Voets T., Zouboulis C.C., Paus R., **Bíró T.** (2014): Cannabidiol Exerts Sebostatic and Anti-Inflammatory Effects on Human Sebocytes. *J. Clin. Invest.* **124(9)**:3713-3724
- 117) Kőszeghy A., Kovács A., **Bíró T.**, Szűcs P., Vincze J., Hegyi Z., Antal M., Pál B. (2015): Endocannabinoid Signaling Modulates Neurons of the Pedunculopontine Nucleus (PPN) via Astrocytes. *Brain. Struct. Funct.* **220(5)**:3023-3041
- 118) Czifra G., Tóth B., Kovács I., **Bíró T.**, Griger Z., Baráth S., Tarr T., Zeher M., Sipka S. (2014): The In Vitro Treatment with Vitamin D3 is Ineffective on the Expression of PKC Isoenzymes, but Decreases Further the Impaired Production of IL-2 in the T Lymphocytes of SLE Patients. *Rheumatol. Int.* **34(5)**:717-720
- 119) Czifra G., Szöllősi A.G., Nagy Z., Boros M., Juhász I., Kiss A., Erdődi F., Szabó T., Kovács I., Török M., Kovács L., Blumberg P.M., **Bíró T.** (2015): Protein Kinase C δ Promotes Proliferation and Induces Malignant Transformation in Skeletal Muscle. *J. Cell. Mol. Med.* **19(2)**:396-407
- 120) **Bíró T.** (2014): Human Sebocytes: The New Leptin Connection? *Br. J. Dermatol.* **171(6)**:1288
- 121) Máté G., Kertész I., Enyedi K.N., Mező G., Angyal J., Vasas N., Kis A., Szabó É., Emri M., **Bíró T.**, Galuska L., Trencsényi G. (2015): In vivo Imaging of Aminopeptidase N (CD13) Receptors in Experimental Renal Tumors Using the Novel Radiotracer ⁶⁸Ga-NOTA-c(NGR). *Eur. J. Pharm. Sci.* **69**:61-71
- 122) Maccarrone M., Bab I., **Bíró T.**, Cabral G.A., Dey S.K., Di Marzo V., Konje J.C., Kunos G., Mechoulam R., Pacher P., Sharkey K.A., Zimmer A. (2015): Endocannabinoid Signaling at the Periphery: 50 Years After THC. *Trends Pharmacol. Sci.* **36(5)**:277-296. (**Community review: shared authorship of all authors**)
- 123) Tóth B.I., Szallasi A., **Bíró T.** (2015): Transient Receptor Potential Channels and Itch: How Deep Should We Scratch? *Handb. Exp. Pharmacol.* **226**:89-133
- 124) Picardo M., Mastrofrancesco A., **Bíró T.** (2015): Sebaceous Gland - A Major Player in Skin Homeostasis. *Exp. Dermatol.* **24(7)**:485-486
- 125) Helyes Zs., Kun J., Dobrosi N., Sándor K., Németh J., Perkecz A., Pintér E., Szabadfi K., Gaszner B., Tékus V., Szolcsányi J., Steinhoff M., Hashimoto H., Reglődi D., **Bíró T.** (2015): Pituitary Adenylate-Cyclase Activating Polypeptide is Up-Regulated in Murine Skin Inflammation and Mediates Transient Receptor Potential Vanilloid-1-Induced Neurogenic Edema. *J. Invest. Dermatol.* **135(9)**:2209-2218
- 126) Tax G., Urbán E., Palotás Z., Puskás R., Kónya Z., **Bíró T.**, Kemény L., Szabó K. (2015): Propionic Acid Produced by Propionibacterium acnes Strains Contributes to Their Pathogenicity. *Acta Derm. Venereol.* **96(1)**:43-49
- 127) Szabó T., Ambrus L., Zákány N., Balla Gy., **Bíró T.** (2015): Regulation of TRPC6 Ion Channels in Podocytes – Implications for Focal Segmental Glomerulosclerosis and Acquired Forms of Proteinuric Diseases. *Acta Physiol. Hung.* **102(3)**:241-251
- 128) Ambrus L., Oláh A., Oláh T., Balla G., Saleem M.A., Orosz P., Zsuga J., Bíró K., Csernoch L., **Bíró T.**, Szabó T. (2015): Inhibition of TRPC6 by protein kinase C isoforms in cultured human podocytes. *J. Cell. Mol. Med.* **19(12)**:2771-2779
- 129) Mócsai G., Gáspár K., Dajnoki Z., Tóth B., Gyimesi E., **Bíró T.**, Maródi L., Szegedi A. (2015): Investigation of Skin Barrier Functions and Allergic Sensitization in Patients with Hyper-IgE Syndrome. *J. Clin. Immunol.* **35(7)**:681-688

- 130) Kovács D., Lovászi M., Póliska S., Oláh A., **Bíró T.**, Veres I., Zouboulis C.C., Stähle M., Rühl R., Remenyik É., Törőcsik D. (2015): Sebocytes Differentially Express and Secrete Adipokines. *Exp. Dermatol.* **25(3)**:194-199
- 131) Buzás K., Marton A. Vizler C., Gyukity-Sebestyén E., Harmati M., Nagy K., Zvara Á., Puskás L., Katona R.L., Tubak V., Endrész V., Németh N.B., Oláh J., **Bíró T.**, Kemény L. (2015): Bacterial Sepsis Increases Survival in Metastatic Melanoma. *J. Invest. Dermatol.* **136(4)**:862-865
- 132) Oláh A., Ambrus L., Nicolussi S., Gertsch J., Tubak V., Kemény L., Soeberdt M., Abels C., **Bíró T.** (2016): Inhibition of Fatty Acid Amide Hydrolase Exerts Cutaneous Anti-Inflammatory Effects Both In Vitro and In Vivo. *Exp. Dermatol.* **25(4)**:328-330
- 133) Oláh A., Markovics A., Szabó-Papp J., Szabó P.T., Stott C., Zouboulis C.C., **Bíró T.** (2016): Differential Effectiveness of Selected Non-Psychotropic Phytocannabinoids on Human Sebocyte Functions Implicates Their Introduction in Dry/Seborrheic Skin and Acne Treatment. *Exp. Dermatol.* **25(9)**:701-707
- 134) **Bíró T.**, Harder J. (2016): AMP-ification of Wound Healing. *Exp. Dermatol.* **25(8)**:592-593
- 135) Kovács A., Bordás Cs., **Bíró T.**, Hegyi Z., Antal M., Pál B. (2017): Direct Presynaptic and Indirect Astrocytic Mechanisms Both Contribute to Endocannabinoid Signaling in the Pedunculopontine Nucleus of Mice. *Brain. Struct. Funct.* **222(1)**:247-266
- 136) Bertolini M., Pretzlaff M., Sulk M., Bähr M., Gherardini J., Uchida Y., Reibelt M., Kinori M., Rossi A., **Bíró T.**, Paus R (2016): VIP, Whose Receptor-Mediated Signalling May Be Defective in Alopecia Areata, Provides Protection from Hair Follicle Immune Privilege Collapse. *Br. J. Dermatol.* **175(3)**:531-541
- 137) Oláh A., Gherardini J., Bertolini M., Chéret J., Klopper J., **Bíró T.**, Soeberdt M., Abels C., Paus R. (2016): The Thyroid Hormone Analogue KB2115 (Eprotirome) Prolongs Human Hair Growth (Anagen) Ex Vivo. *J. Invest. Dermatol.* **136(8)**:1711-1714
- 138) Szöllösi A.G., Gueniche A., Jammayrac O., Szabó-Papp J., Blanchard C., Vasas N., Andrászi M., Juhász I., Breton L., **Bíró T.** (2017): Bifidobacterium Longum Extract Exerts Pro-Differentiating Effects on Human Epidermal Keratinocytes, In Vitro. *Exp Dermatol.* **26(1)**:92-94
- 139) Szöllösi A.G., **Bíró T.** (2017): A Transactivation Switchboard in Wound Healing. *Exp Dermatol.* **26(2)**:99-100
- 140) Szabó K., Erdei L., Bolla B.Sz., Tax G., **Bíró T.**, Kemény L. (2017): Factors Shaping the Composition of the Cutaneous Microbiota. *Br. J. Dermatol.* **176(2)**:344-351
- 141) Haslam I.S., Jadkauskaite L., Szabó I.L., Staeger S., Hesebeck-Brinckmann J., Jenkins G., Bhogal R., Lim F.L., Farjo N., Farjo B., **Bíró T.**, Schäfer M., Paus R. (2017): Oxidative Damage Control in a Human (Mini-) Organ: Nrf2 Activation Protects Against Oxidative Stress-Induced Hair Growth Inhibition. *J. Invest. Dermatol.* **137(2)**:295-304
- 142) Kapitány A., Béke G., Nagy G., Doan-Xuan Q.M., Bacsó Z., Gáspár K., Boros G., Dajnoki Z., **Bíró T.**, Rajnavölgyi É., Szegedi A. (2017): CD1c+ Blood Dendritic Cells in Atopic Dermatitis are Premature and Can Produce Disease-specific Chemokines. *Acta Derm. Venereol.* **97(3)**:325-331
- 143) Zouboulis C.C., Picardo M., Ju Q., Kurokawa I., Törőcsik D., **Bíró T.**, Schneider M.R. (2016): Beyond Acne: Current Aspects of Sebaceous Gland Biology and Function. *Rev. Endocr. Metab. Disord.* **17(3)**:319-334
- 144) Dajnoki Z., Béke G., Kapitány A., Mócsai G., Gáspár K., Rühl R., Hendrik Z., Juhász I., Zouboulis C.C., Bácsi A., **Bíró T.**, Törőcsik D., Szegedi A. (2017): Sebaceous Gland Rich Skin is Characterized by TSLP Expression and Distinct Immune Surveillance Which is Disturbed in Rosacea. *J. Invest. Dermatol.* **137(5)**:1114-1125
- 145) Oláh A., **Bíró T.** (2017): Targeting Cutaneous Cannabinoid Signaling in Inflammation – A “High”-way to Heal? *EBioMedicine* **16**:3-5
- 146) Oláh A., Szabó-Papp J., Soeberdt M., Knie U., Dähnhardt-Pfeiffer S., Abels C., **Bíró T.** (2017): Echinacea Purpurea-Derived Alkylamides Exhibit Potent Anti-inflammatory Effects and Alleviate Clinical Symptoms of Atopic Eczema. *J. Dermatol. Sci.* pii: S0923-1811(16)31025-8
- 147) Szöllösi A.G., Vasas N., Angyal Á., Kistamás K., Nánási P.P., Mihály J., Béke G., Herczeg-Lisztes E., Szegedi A., Kawada N., Yanagida T., Mori T., Kemény L., **Bíró T.** (2017): Activation of Transient Receptor Potential Vanilloid-3 Regulates Inflammatory Actions of Human Epidermal Keratinocytes *J. Invest. Dermatol.* (**Accepted for publication**)
- 148) Szöllösi A.G., Oláh A., **Bíró T.**, Tóth I.B. (2017): Recent Advances in the Endocrinology of the Sebaceous Gland. *Dermato-Endocrinology* (**Accepted for publication**)

- 149)** Agod Zs. Fekete T., Budai M., Varga A., Szabó A., Moon H., Boldogh I., **Bíró T.**, Lányi Á., Bácsi A., Pázmándi K. (2017): Regulation of Type I Interferon Responses by Mitochondria-Derived Reactive Oxygen Species in Plasmacytoid Dendritic Cells. *Redox Biol.* (**Accepted for publication**)